

Hawaiian Herer

SECTION 1: Identification of the substance / mixture and of the company/ undertaking

1.1 Product Identifier

Product name: Hawaiian Herer

Product number: 218

CAS-No: Not applicable - Proprietary mixture of compounds

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Flavor and fragrance ingredient

1.3 Details of the supplier of the safety data sheet

Company: The Werc Shop Laboratory, LLC

181 W Huntington Drive

Suite 106

Monrovia, CA, 91016

Phone: (714) 931-5806

Email: FineChem@TheWercShop.com

Website: www.TheWercShop.com

1.4 Emergency telephone number

Emergency Phone #: 1-888-641-6711

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS):

Health hazards

Acute Oral Toxicity Category 3

Acute Dermal Toxicity Category 3

Acute Inhalation Toxicity Category 4

Skin Irritation Category 2

Eye Irritation Category 1

Respiratory Sensitization Category 1

Skin Sensitization Category 1

Aspiration Hazard Category 1

Environmental hazards

Acute Aquatic Toxicity Category 1

Chronic Aquatic Toxicity Category 1

Physical hazards

No GHS Physical hazards

2.2 GHS Label elements, including precautionary statements

Signal Word: DANGER

Pictograms:



Hazard statement(s):

H301 Toxic if swallowed

H311 Toxic in contact with skin

H332 Harmful if inhaled

H315 Causes skin irritation

H318 Causes serious eye damage

H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H317	May cause an allergic skin reaction
H305	May be harmful if swallowed and enters airways
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

Precautionary statement(s):

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash face, hands and any exposed skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P285	In case of inadequate ventilation wear respiratory protection.
P310	Immediately call a POISON CENTER or doctor/physician.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P322	Specific measures (see supplemental first aid instructions on this label).
P330	Rinse mouth.
P331	Do NOT induce vomiting.
P361	Remove/Take off immediately all contaminated clothing.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/container to an approved disposal facility.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

This product contains phytol. While allergies to phytol have not been identified, patients with Refsum disease should not consume this product to avoid serious complications.

SECTION 3: Composition / information on ingredients

The ingredients and concentration of ingredients have been withheld as a trade secret.

CAS	Component	%
Trade Secret	Component 1	10-25%
	Acute Aquatic Toxicity (Category 1); H400	
	Chronic Aquatic Toxicity (Category 1); H410	
	Flammable Liquid (Category 4); H227	
Trade Secret	Component 2	10-25%
	Acute Aquatic Toxicity (Category 2); H401	
	Chronic Aquatic Toxicity (Category 2); H411	
	Acute Dermal Toxicity (Category 3); H311	
	Acute Oral Toxicity (Category 3); H301	
	Flammable Liquid (Category 4); H227	
Trade Secret	Component 3	10-25%
	Eye Irritation (Category 2A); H319	
	Skin Irritation (Category 2); H315	
	STOT-SE (Category 3, Respiratory); H335	
	Flammable Liquid (Category 3); H226	
Trade Secret	Component 4	1.0-10%
	Acute Dermal Toxicity (Category 3); H311	
	Acute Oral Toxicity (Category 4); H302	
	Skin Irritation (Category 2); H315	
	Flammable Liquid (Category 4); H227	

Trade Secret	Component 5 Flammable Liquid (Category 3); H226	1.0-10%
Trade Secret	Component 6 Flammable Liquid (Category 4); H227	1.0-10%
Trade Secret	Component 7 Aspiration Hazard (Category 1); H305 Skin Irritation (Category 3); H316 Skin Sensitization (Category 1); H317	1.0-10%
Trade Secret	Component 8 Aspiration Hazard (Category 1); H305 Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315 Flammable Liquid (Category 3); H226	1.0-10%
Trade Secret	Component 9 Acute Aquatic Toxicity (Category 2); H401 Acute Inhalation Toxicity (Category 4); H332 Acute Oral Toxicity (Category 4); H302 Eye Irritation (Category 2A); H319	1.0-10%
Trade Secret	Component 10 Acute Aquatic Toxicity (Category 1); H400 Chronic Aquatic Toxicity (Category 1); H410 Eye Irritation (Category 2A); H319	1.0-10%
Trade Secret	Component 11 Aspiration Hazard (Category 1); H305 Skin Irritation (Category 2); H315 Skin Sensitization (Category 1); H317	1.0-10%
Trade Secret	Component 12 Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315 STOT-SE (Category 3, Respiratory); H335 Flammable Liquid (Category 4); H227	1.0-10%
Trade Secret	Component 13 Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315 STOT-SE (Category 3, Respiratory); H335 Flammable Liquid (Category 3); H226	1.0-10%
Trade Secret	Component 14 Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315 Skin Sensitization (Category 1); H317 STOT-SE (Category 3, Respiratory); H335 Flammable Liquid (Category 3); H226	1.0-10%
Trade Secret	Component 15 Eye Irritation (Category 2A); H319 Respiratory Sensitization (Category 1); H334 Skin Irritation (Category 2); H315 STOT-SE (Category 3, Respiratory); H335 Flammable Liquid (Category 3); H226	1.0-10%
Trade Secret	Component 16 Flammable Liquid (Category 4); H227	1.0-10%
Trade Secret	Component 17 Skin Sensitization (Category 1); H317	1.0-10%

Trade Secret	Component 18 Chronic Aquatic Toxicity (Category 1); H410 Acute Aquatic Toxicity (Category 1); H400 Aspiration Hazard (Category 1); H305 Skin Irritation (Category 2); H315 Skin Sensitization (Category 1); H317 Flammable Liquid (Category 3); H226	1.0-10%
Trade Secret	Component 19 Acute Aquatic Toxicity (Category 3); H402 Aspiration Hazard (Category 1); H305 Skin Irritation (Category 2); H315 Skin Sensitization (Category 1); H317 Flammable Liquid (Category 3); H226	Less than 1%
Trade Secret	Component 20 Aspiration Hazard (Category 1); H305	Less than 1%
Trade Secret	Component 21 Acute Aquatic Toxicity (Category 3); H402 Chronic Aquatic Toxicity (Category 3); H412 Acute Oral Toxicity (Category 4); H302 Eye Irritation (Category 1); H318 Skin Irritation (Category 3); H316 STOT-SE (Category 3, Respiratory); H335 Flammable Liquid (Category 4); H227	Less than 1%
Trade Secret	Component 22 Eye Irritation (Category 2A); H319 STOT-SE (Category 3, Respiratory); H335 Flammable Liquid (Category 2); H225	Less than 1%
Trade Secret	Component 23 Aspiration Hazard (Category 1); H305 Skin Irritation (Category 2); H315 Skin Sensitization (Category 1); H317 Flammable Liquid (Category 3); H226	Less than 1%
Trade Secret	Component 24 Acute Aquatic Toxicity (Category 2); H401 Chronic Aquatic Toxicity (Category 2); H411 Acute Oral Toxicity (Category 4); H302 Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315 STOT-SE (Category 3, Respiratory); H335 Flammable Liquid (Category 3); H226	Less than 1%
Trade Secret	Component 25 Eye Irritation (Category 2A); H319 Flammable Liquid (Category 3); H226	Less than 1%
Trade Secret	Component 26 Chronic Aquatic Toxicity (Category 3); H412 Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315 STOT-SE (Category 3, Respiratory); H335 Flammable Liquid (Category 3); H226	Less than 1%
Trade Secret	Component 27 Acute Aquatic Toxicity (Category 3); H402 Chronic Aquatic Toxicity (Category 3); H412	Less than 1%

Trade Secret	Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315 STOT-SE (Category 3, Respiratory); H335	Less than 1%
	Component 28	
	Acute Oral Toxicity (Category 4); H302 Eye Irritation (Category 2A); H319 Skin Sensitization (Category 1); H317	
Trade Secret	Component 29	Less than 1%
	Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315 STOT-SE (Category 3, Respiratory); H335	
	Component 30	
Trade Secret	Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315 STOT-SE (Category 3, Respiratory); H335 Flammable Liquid (Category 3); H226	Less than 1%
	Component 31	
	Acute Aquatic Toxicity (Category 3); H402 Eye Irritation (Category 2A); H319 STOT-SE (Category 3, Respiratory); H335 Flammable Liquid (Category 2); H225	
Trade Secret	Component 32	Less than 1%
	Acute Aquatic Toxicity (Category 2); H401 Chronic Aquatic Toxicity (Category 2); H411 Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315 Skin Sensitization (Category 1); H317	
	Component 33	
Trade Secret	Acute Aquatic Toxicity (Category 2); H401 Chronic Aquatic Toxicity (Category 2); H411 Acute Oral Toxicity (Category 5); H303	Less than 1%
	Component 34	
	Acute Dermal Toxicity (Category 5); H313 Acute Oral Toxicity (Category 5); H303 Skin Irritation (Category 2); H315 Skin Sensitization (Category 1); H317	
Trade Secret	Component 35	Less than 1%
	Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315 STOT-SE (Category 3, Respiratory); H335 Flammable Liquid (Category 4); H227	
	Component 36	
Trade Secret	Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315 Skin Sensitization (Category 1); H317 STOT-SE (Category 3, Respiratory); H335	Less than 1%
	Component 37	
	Acute Dermal Toxicity (Category 4); H312 Acute Inhalation Toxicity (Category 4); H332 Acute Oral Toxicity (Category 4); H302 Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315	

Trade Secret	STOT-SE (Category 3, Respiratory); H335 Component 38 Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315 STOT-SE (Category 3, Respiratory); H335	Less than 1%
Trade Secret	Component 39 Acute Aquatic Toxicity (Category 3); H402 Eye Irritation (Category 1); H318 Skin Irritation (Category 2); H315 Skin Sensitization (Category 1); H317	Less than 1%
Trade Secret	Component 40 Acute Aquatic Toxicity (Category 3); H402 Chronic Aquatic Toxicity (Category 3); H412 Eye Irritation (Category 2A); H319	Less than 1%
Trade Secret	Component 41 Chronic Aquatic Toxicity (Category 2); H411	Less than 1%
Trade Secret	Component 42 Acute Oral Toxicity (Category 4); H302 Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315	Less than 1%
Trade Secret	Component 43 Acute Dermal Toxicity (Category 3); H311 Acute Oral Toxicity (Category 4); H302 Skin Sensitization (Category 1); H317 Flammable Liquid (Category 3); H226	Less than 1%
Trade Secret	Component 44 Chronic Aquatic Toxicity (Category 2); H411 Skin Sensitization (Category 1); H317	Less than 1%
Trade Secret	Component 45 Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315 STOT-SE (Category 3, Respiratory); H335 Flammable Liquid (Category 3); H226	Less than 1%
Trade Secret	Component 46 Flammable Liquid (Category 3); H226	Less than 1%
Trade Secret	Component 47 Acute Aquatic Toxicity (Category 3); H402 Chronic Aquatic Toxicity (Category 3); H412 Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315 STOT-SE (Category 3, Respiratory); H335 Flammable Liquid (Category 3); H226	Less than 1%
Trade Secret	Component 48 Acute Oral Toxicity (Category 4); H302	Less than 1%
Trade Secret	Component 49 Acute Inhalation Toxicity (Category 4); H332 Acute Oral Toxicity (Category 4); H302 Eye Irritation (Category 1); H318 Skin Irritation (Category 2); H315 STOT-SE (Category 3, Respiratory); H335 Flammable Liquid (Category 4); H227	Less than 1%
Trade Secret	Component 50	Less than 1%

Trade Secret	Skin Sensitization (Category 1); H317 Component 51	Less than 1%
	Acute Aquatic Toxicity (Category 1); H400 Chronic Aquatic Toxicity (Category 1); H410 Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315	
Trade Secret	Component 52	Less than 1%
	Acute Aquatic Toxicity (Category 3); H402 Chronic Aquatic Toxicity (Category 3); H412 Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315 STOT-SE (Category 3, Respiratory); H335	
Trade Secret	Component 53	Less than 1%
	Flammable Liquid (Category 3); H226	
Trade Secret	Component 54	Less than 1%
	Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315 STOT-SE (Category 3, Respiratory); H335	
Trade Secret	Component 55	Less than 1%
	Acute Aquatic Toxicity (Category 1); H400 Chronic Aquatic Toxicity (Category 1); H410 Skin Irritation (Category 2); H315	
Trade Secret	Component 56	Less than 1%
	Acute Aquatic Toxicity (Category 3); H402 Chronic Aquatic Toxicity (Category 3); H412 Skin Sensitization (Category 1); H317 Flammable Liquid (Category 2); H225	
Trade Secret	Component 57	Less than 1%
	Eye Irritation (Category 2A); H319 Skin Irritation (Category 2); H315 STOT-SE (Category 3, Respiratory); H335 Flammable Liquid (Category 4); H227	
Trade Secret	Component 58	Less than 1%
	Flammable Liquid (Category 1); H224	

SECTION 4: First aid measures

4.1 Description of first-aid measures

Inhalation	If headache, irritation, nausea, or drowsiness occurs, move patient to a place with clear air. Ventilate. Obtain medical advice if symptoms persist.
Skin contact	Flush skin with plenty of soap and water for at least 5 minutes. Seek medical attention in the event of continuing irritation. Remove and wash contaminated clothing and shoes
Eye contact	Immediately rinse with running water for at least 5 minutes. Remove contact lenses if present and easy to do. Continue rinsing. If irritation occurs, seek medical attention.
Ingestion	Rinse mouth with water. Never give anything by mouth to an unconscious person. If in doubt, contact a Poison Control Center or seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Important known symptoms and effects are described in section 2.2 and section 11.

4.3 Indication of any immediate medical attention and special treatment needed.

Wash contact areas with water.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide

Unsuitable extinguishing media

Do not use a heavy water stream. The use of a heavy water stream may spread fire

5.2 Special hazards arising from the substance or mixture

This mixture is a flammable liquid and can produce flammable vapors.

Forms carbon oxides when combusted.

5.3 Advice for firefighters

Wear self-contained breathing apparatus and full protective clothing for firefighting if necessary.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment, and emergency procedures**

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.

6.2 Environmental precautions

Prevent migration into groundwater, sewers, or streams. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spill if possible, using absorbent pads, pillows, loose sorbent, or solvent absorbent. Use non-sparking tools to mix absorbent with spilled material, then clean using shovel or vacuum cleaner safe from electrostatic discharge. Place the material in a container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

SECTION 7: Accidental release measures**7.1 Precautions for safe handling**

Use in a well-ventilated area, using good industrial hygiene practices. Avoid contact with eyes, skin, and clothing, and wear proper PPE (see section 8). Keep away from sources of ignition - no smoking. Take measures to prevent build of electrostatic charge.

Conditions for safe storage, including any incompatibilities

Store material at ambient temperature and pressure. Keep away from sources of direct heat and moisture. Keep container tightly closed when not in use. Containers can retain product residue after being emptied. Always obey hazards warnings and handle empty containers as though they were full. Avoid contact with oxidizing agents, reducing agents and strong bases.

Specific end use(s)

Apart for the uses mentioned in section 1.2 no other specific uses are stipulated. It is the user's responsibility to ensure that the use of the product conforms with local laws and regulations.

SECTION 8: Exposure controls / personal protection**8.1 Control Parameters**

Chemical	Type	Limit	Country	Source
α -Pinene	TWA	20.0 ppm	USA	ACGIH Threshold Limit Values
3-Carene	TWA	20.0 PPM	USA	ACGIH Threshold Limit Values
Limonene	TWA	20.0 PPM	USA	ACGIH Threshold Limit Values
Vanillin	TWA	10.0 mg/m ³	USA	Workplace Environmental Exposure Levels (WEEL)
Propyl acetate	TWA	200.0 PPM	USA	ACGIH Threshold Limit Values
Propyl acetate	STEL	250.0 PPM	USA	ACGIH Threshold Limit Values
Propyl acetate	TWA	200.0 PPM	USA	Occupational Exposure Limits (OSHA) – Table Z-1
Propyl acetate	TWA	840.0 mg/m ³	USA	Occupational Exposure Limits (OSHA) – Table Z-1
Propyl acetate	TWA	200.0 PPM	USA	NIOSH Recommended Exposure Limits
Propyl acetate	TWA	840.0 mg/m ³	USA	NIOSH Recommended Exposure Limits
Propyl acetate	ST	250.0 PPM	USA	NIOSH Recommended Exposure Limits

Propyl acetate	ST	1050.0 mg/m3	USA	NIOSH Recommended Exposure Limits
Propyl acetate	PEL	200.0 PPM	USA	California PEL for chemical contaminants (Title 8, Art 107)
Propyl acetate	PEL	840.0 mg/m3	USA	California PEL for chemical contaminants (Title 8, Art 107)
Propyl acetate	STEL	250.0 PPM	USA	California PEL for chemical contaminants (Title 8, Art 107)
Propyl acetate	STEL	1050.0 mg/m3	USA	California PEL for chemical contaminants (Title 8, Art 107)
Methyl acetate	TWA	200.0 PPM	USA	ACGIH Threshold Limit Values
Methyl acetate	STEL	250.0 PPM	USA	ACGIH Threshold Limit Values
Methyl acetate	TWA	200.0 PPM	USA	NIOSH Recommended Exposure Limits
Methyl acetate	TWA	610.0 mg/m3	USA	NIOSH Recommended Exposure Limits
Methyl acetate	ST	250.0 PPM	USA	NIOSH Recommended Exposure Limits
Methyl acetate	ST	760.0 mg/m3	USA	NIOSH Recommended Exposure Limits
Methyl acetate	TWA	200.0 PPM	USA	Occupational Exposure Limits (OSHA) – Table Z-1
Methyl acetate	TWA	610.0 mg/m3	USA	Occupational Exposure Limits (OSHA) – Table Z-1
Methyl acetate	PEL	200.0 PPM	USA	California PEL for chemical contaminants (Title 8, Art 107)
Methyl acetate	PEL	610.0 mg/m3	USA	California PEL for chemical contaminants (Title 8, Art 107)
Methyl acetate	STEL	250.0 PPM	USA	California PEL for chemical contaminants (Title 8, Art 107)
Methyl acetate	STEL	760.0 mg/m3	USA	California PEL for chemical contaminants (Title 8, Art 107)

8.2 Exposure controls

Appropriate engineering controls

Provide local exhaust ventilation to keep airborne concentrations below the recommended occupational exposure limits

Personal Protective Equipment

Eye / face protection:

Safety glasses with side shields or safety goggles. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166 (EU).

Skin protection:

Handle with chemical resistant gloves (e.g. nitrile, latex, butyl rubber). Gloves must be inspected before use. Use proper glove removal technique.

Body protection:

Impervious clothing appropriate for the situation. For example a laboratory coat and chemical resistant shoes or shoe covers when handling small to medium quantities. Use long sleeves and long pants at a minimum.

Respiratory protection:

If concentrations are above the occupational exposure limits, an approved respirator should be used (air-purifying or air supplied).

Control of environmental exposure:

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided

SECTION 9: Physical and chemical properties

Appearance	Clear
Physical State	Liquid
Odor Threshold	N/A
Particle Size	N/A
Spec Gravity/Density	N/A
Viscosity	No data available.
Boiling Point	220-340 C
Partition Coefficient	No data available.
Vapor Pressure	No data available.
pH	No data available.
Evap. Rate	No data available.
Decomposition Temp	No data available.
Odor	No data available.
Solubility	No data available.

Freezing/Melting Pt.	No data available.
Flash Point	No data available.
Vapor Density	No data available.
Partition Coefficient: n-Octanol/Water	No data available.
Auto-Ignition Temp	No data available.
UFL/LFL	No data available.
Flammability	No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical Stability

Stable under normal use / storage conditions

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Heat, flames, sparks and high temperatures.

10.5 Incompatible materials

Oxidizing agents, reducing agents and strong bases.

10.6 Hazardous decomposition products

May liberate carbon oxides during a fire.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

No data available.

Skin corrosion / irritation

No data available.

Serious eye damage / eye irritation

No data available.

Respiratory or skin sensitization

May cause respiratory and skin sensitization

Germ cell mutagenicity

No data available.

Carcinogenicity

This mixture is known to contain Myrcene at a concentration of >0.1%. Myrcene is an IARC 2B compound. IARC 2B compounds are rated as possibly carcinogenic to humans.

Reproductive toxicity

No data available.

Specific target organ toxicity - single exposure

No data available.

Specific target organ toxicity - repeated exposure

No data available.

Aspiration hazard

Aspiration hazard. May cause pulmonary edema and pneumonitis

Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Environmental toxicity

Expected to be toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1 Disposal considerations

Liquid organic waste stream. Follow all applicable local, state, and federal disposal regulations. Ensure disposal into adequate flammable liquid waste container. Do not waste into sinks or drains directly.

SECTION 14: Transport information

14.1 No data available.

SECTION 15: Regulatory information

This blend contains compounds mentioned in the following regulations

Territory: USA - California

Proposition 65 Myrcene

SECTION 16: Other information

16.1 Abbreviations

PEL:	Permissible exposure limit
TWA:	Time weighted average
TLV:	Threshold limit value
STEL:	Short term exposure limit
IDLH:	Immediately dangerous to life and health
OSHA:	Occupational Safety and Health Administration
ACGIH:	American Conference of Governmental Industrial Hygienists
NIOSH:	National Institute for Occupational Safety and Health
N/A:	Not applicable
IC50:	Lethal concentration to 50% of test subjects
LD50:	Lethal dose to 50% of test subjects
STOT-SE:	Specific target organ toxicity (single exposure)
STOT-RE:	Specific target organ toxicity (repeated exposure)
EC50:	Effective concentration that causes 50% of response from test subjects
ErC50:	EC50 in terms of growth rate reduction
CERCLA:	Comprehensive Environmental Response, Compensation and Liability Act
SARA:	Superfund Amendments and Reauthorization Act
TSCA:	Toxic Substances Control Act
DSL:	Domestic Substances List
NDSL:	Non-Domestic Substances List

16.2 Disclaimer

This SDS complies with 29 CFR 1910.1200 (THE HAZARD COMMUNICATION STANDARD, USA) and GHS. Although the information and recommendations set forth herein (hereinafter 'information') are presented in good faith and believed to

be correct as of the date hereof, The Werc Shop Laboratory, LLC makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will The Werc Shop Laboratory, LLC be responsible for damages of any nature whatsoever resulting from the use of, misuse or reliance upon information. No representations or warranties, either express or implied, or merchantability, fitness for a particular purpose or any other nature are made hereunder with respect to information or the product to which information refers. Regulatory requirements are subject to change and may differ from one location to another. It is the buyer's responsibility to ensure its activities comply with federal, state or provincial and local laws and regulations.